

ST

Notice of Allowability	Application No.	Applicant(s)	
	09/637,047	ZHOU ET AL.	
	Examiner	Art Unit	
	Ian N. Moore	2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 11/7/06.
2. ☒ The allowed claim(s) is/are 1,3-14, and 16-26 which have been renumbered as 1-24.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>1/12/07</u>. 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input checked="" type="checkbox"/> Other <u>See Continuation Sheet</u>. |
|---|---|

Continuation of Attachment(s) 9. Other: marked up specification pages 13,14,29,34, and 39.

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ansel Schwartz on January 12, 2007.

The application has been amended in the specification as follows:

- In the specification, page 13, line 17, "**Table 0**" has been replaced with -- **Table 1** -- (see attached)
- In the specification, page 14, line 13, "**Table 0**" has been replaced with -- **Table 1** -- (see attached)
- In the specification, page 29, line 1, "**Table 11**" has been replaced with -- **Table 3** -- (see attached)
- In the specification, page 34, line 11, "**Table 12**" has been replaced with -- **Table 4** -- (see attached)
- In the specification, page 39, line 1, "**Table 23**" has been replaced with -- **Table 5** -- (see attached)
- In the specification, page 39, line 17, "**One of two meanings. The first is striped**" has been replaced with -- **Striped** -- (see attached)

Art Unit: 2616

- In the specification, page 39, line 18-19, **“The second meaning is a generic term used to describe engineers who left Marconi to from/work for a start-up after starting the switch design.”** has been removed (see attached)
- In the specification, the following description has been inserted at page 39, line 20 after Table 5 regarding description of figure 6.

-- The switch uses a system of transmit and receive counters. The counters allow all components in the system to logically align themselves. The Master Sequence Generator implements these two counters that will count continuously from ‘0’ to ‘3’ and will increment every x 125 MHz clock cycles where, x is the counter tick length as programmed by software. x is currently calculated to be 250 cycles. This is based on analysis done in the Backplane Synchronization ADS. The relationship between the transmit and receive counters can be seen in Figure 6.--

(Note that this description came from the original version and was found on page 98, beginning at line 13 of the marked up version, when it referred to figure 20 but was unintentionally deleted by the applicant.)

Response to Arguments

2. Applicant’s arguments, see remark pages 11-18, filed 11/7/06, with respect to amended claims 1,3-14, and 16-24 have been fully considered and are persuasive. The rejection of claims 1,3-14,16-24 has been withdrawn.

Art Unit: 2616

Allowable Subject Matter

3. Claims 1,3-14, and 16-26 are allowed.

Conclusion


4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ian N. Moore whose telephone number is 571-272-3085. The examiner can normally be reached on 9:00 AM- 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris To can be reached on 571-272-7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

9NM

INM
1-12-07



DORIS H. TO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600